

Print Pressure (Pp) is set at plot start as one of Pblack, Pcolor, Pnormal Above the maximum print pressure the pump runs at 50% pwm -

Page 35, line 17, after "smaller container" change "720" to - 724 -

Page 35, line 17, change "the fastener" to - a fastener (twist connector 212) -

Page 35, line 18, after "larger container" change "724" to - 720 -

Page 35, line 19, change "the the" to - by the -

Page 35, line 20, after "position." Add the following - The twist connector 212 in unlocked position is shown in phantom in Fig. 12 -

Page 35, line 22, delete "shown in Fig. 22 " and substitute - (see Figs 21-22). -

IN THE RECORDS OF THE
UNITED STATES PATENT & TRADEMARK OFFICE

Applicants ask that you kindly change your records to reflect the attorney docket code as 60980038Z283. A request for corrected filing receipt is attached.

REMARKS

Applicants thank Examiner Michael P. Nghiem for having confirmed allowance and reissued corrected Notices of Allowance and Allowability. Applicants regret the Examiner's inconvenience.

Various typographical errors have been corrected by this amendment. Also various new or corrected references to specific Figures in the drawing have been added to the Detailed Description for clarity. The descriptive text on the original drawing of Fig. 19 has now been added by amendment to the

written specification (such text is omitted from the formal drawings that are being submitted concurrently).

The tables included in the original specification have now been identified as Tables I through VI. Certain extraneous words and abbreviations have been deleted from the tables, and certain definitions originally recited in the text have now been incorporated directly into the tables.

Because the original specification was not prepared in an integrated typical format, and in order to provide a clearly legible layout for the various tables incorporated in the specification, for the Examiner's convenience a newly prepared SUBSTITUTE SPECIFICATION is attached.

All the specific changes detailed in the foregoing Amendment to the specification are already incorporated into the attached Substitute Specification.

Applicants ask that the originally submitted specification be REPLACED BY the attached Substitute Specification, for typesetting of the new patent.

It is noted that in some instances British spelling has been used in the text and tables. To facilitate further processing and issuance of this application, the enclosed newly prepared Substitute Specification includes paragraph-number designations; however, all of the Amendment details recited above refer to the page and line numbers of the ORIGINALLY submitted specification.


No new matter has been added by this Amendment. The changes in this Amendment have been made to provide consistency and clarity between the drawings, tables, text and claims as originally submitted. The Examiner is earnestly asked to enter this Amendment in conjunction with the formal drawings that are being submitted concurrently.

Conclusion

In view of the foregoing amendments and remarks, Applicants respectfully request the Examiner's favorable consider-

ation of this Amendment and the accompanying materials. It is respectfully requested that, should there appear any further obstacle to allowance of the claims herein, the Examiner telephone the undersigned attorney to try to resolve the obstacle.

Respectfully submitted,



PETER I. LIPPMAN

Registration No. 22,835

Attorney for the Applicants

Law Office of Peter I. Lippman
licensed to practice California law only
17900 Mockingbird Drive
Reno, Nevada 89506

December 1, 2004

TELEPHONE:

775/677-8822